

Delivery Point Pressures

Central Region Pipelines

Amadeus Gas Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Palm Valley Interconnect Delivery	5,600
	Warrego Delivery (to NGP)	5,000
	Tennant Creek Delivery	1,800
	Tanami Delivery	5,700
	Elliott Lateral Delivery	400
	Daly Waters Delivery	4,000
	Katherine Delivery	2,800
	Katherine Delivery (line pressure) Pine Creek Delivery	3,500
		2,800
	Townend Road Delivery	7,600
	Darwin City Gate Delivery (to DDSP)	3,000
	Darwin City Gate Delivery (to WPP)	5,400
	Channel Island Delivery (low pressure)	2,400
	Channel Island Delivery (high pressure)	4,500
	Channel Island Delivery (line pressure)	5,400
	Mt Todd Lateral	Suspended
Mataranka Lateral	Suspended	
Max Pressures	Palm Valley Interconnect Delivery	9,650
	Warrego Delivery (to NGP)	9,650
	Tennant Creek Delivery	2,650
	Tanami Delivery	9,650
	Elliott Lateral Delivery	850
	Daly Waters Delivery	9,650
	Katherine Delivery	3,600
	Katherine Delivery (line pressure)	9,650
	Pine Creek Delivery	3,600
	Townend Road Delivery	9,650
	Darwin City Gate Delivery (to DDSP)	9,650
	Darwin City Gate Delivery (to WPP)	9,650
	Channel Island Delivery (low pressure)	3,200
	Channel Island Delivery (high pressure)	7,250
	Channel Island Delivery (line pressure)	9,650
	Mt Todd Lateral	Suspended
Mataranka Lateral	Suspended	

Darwin Distribution System		
Delivery	Points	Value (kPa)
Min Pressures	Darwin Galvanizing Plant	The pressure required to enter the AGP from time to time as advised by APA
	Global Resource Recovery	
	East Arm Northern Cement	
	Hudson Creek Power Station	
Max Pressures	Darwin Galvanizing Plant	9,650
	Global Resource Recovery	9,650

	East Arm Northern Cement	9,650
	Hudson Creek Power Station	9,650

Wickham Point Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Bladin Point Delivery	5,800
	Weddell Point Delivery	5,000
	Darwin City Gate Delivery	4,400
Max Pressures	Bladin Point Delivery	9,650
	Weddell Point Delivery	9,650
	Darwin City Gate Delivery	9,650

Boneparte Gas Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Wadeye Offtake Delivery Ban Ban	7,000
	Springs Delivery	6,000
Max Pressures	Wadeye Offtake Delivery Ban Ban	15,300
	Springs Delivery	9,650

South East South Australia Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Ladbroke Grover Power Station GT1	4,520
	Ladbroke Grover Power Station GT2	4,520
	South East Pipeline	4,950
Max Pressures	Ladbroke Grover Power Station GT1	4,790
	Ladbroke Grover Power Station GT2	4,790
	South East Pipeline	6,200

East Coast Grid

Berwyndale Wallumbilla Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Wallumbilla Delivery	7,000
	Berwyndale Delivery	7,000
	Silver Springs Delivery	6,800
Max Pressures	Wallumbilla Delivery	13,500
	Berwyndale Delivery	13,500
	Silver Springs Delivery	9,810

Carpentaria Gas Pipeline		
Delivery	Points	Value (kPa)

Min Pressures	Osborne Meter Station	5,000
	Cannington Meter Station	2,000
	Phosphate Hill	2,000
	Diamantina Power Station	2,000
	Mica Creek Power Station	3,000
	Mt Isa Mines Town Lateral	3,000
	Ballera Delivery	6,000
Max Pressures	Osborne Meter Station	9,900
	Cannington Meter Station	9,900
	Phosphate Hill	14,800
	Diamantina Power Station	4,640
	Mica Creek Power Station	4,640
	Mt Isa Mines Town Lateral	4,640
	Ballera Delivery	14,800

Reedy Creek Wallumbilla Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Reedy Creek to SWQP Delivery	8,600
	Reedy Creek Delivery	7,000
Max Pressures	Reedy Creek to SWQP Delivery	11,500
	Reedy Creek Delivery	12,500

Roma Brisbane Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	SWQP Interconnect (Wallumbilla Run 3) Delivery	7,000
	Condamine Delivery	4,000
	Wambo Delivery	5,500
	Dalby Bio-Refinery Delivery	1,500
	Dalby Town Council Delivery	1,000
	Oakey Power Station Delivery	4,000
	Oakey APT Allgas Delivery	1,500
	Toowoomba Delivery	1,000
	Sandy Creek Delivery	1,500
	Riverview Delivery	1,500
	Redbank Delivery	1,000
	Swanbank Power Station Delivery	4,500
	Ellen Grove Delivery	1,500
	Ritchie Road Delivery	1,500
	Runcorn Delivery	1,500
	Mt Gravatt Delivery	1,500
	Tingalpa Delivery	1,500
	Lytton Delivery	1,500
Murarie Delivery	1,500	
Gibson Island Delivery	1,500	
Max Pressures	SWQP Interconnect (Wallumbilla Run 3) Delivery	9,300

	Condamine Delivery	9,300
	Wambo Delivery	9,300
	Dalby Bio-Refinery Delivery	9,300
	Dalby Town Council Delivery	9,300
	Oakey Power Station Delivery	9,300
	Oakey APT Allgas Delivery	9,300
	Toowoomba Delivery	9,300
	Sandy Creek Delivery	9,300
	Riverview Delivery	9,300
	Redbank Delivery	9,300
	Swanbank Power Station Delivery	9,300
	Ellen Grove Delivery	9,300
	Ritchie Road Delivery	9,300
	Runcorn Delivery	9,300
	Mt Gravatt Delivery	9,300
	Tingalpa Delivery	9,300
	Lytton Delivery	9,300
	Murrarrie Delivery	9,300
	Gibson Island Delivery	9,300

South West Queensland Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Wallumbilla Hub	Refer to Wallumbilla Hub Schematic
	Moomba Hub	Refer to Moomba Hub Schematic
	MSP Delivery	2,000
	MAPS Delivery	2,000
	Ballera Delivery	6,000
	Cheepie Delivery	The pressure existing in the SWQP
	Tarbat Delivery	6,000
	Roma Delivery	7,500
Max Pressures	Wallumbilla Hub	Refer to Wallumbilla Hub Schematic
	Moomba Hub	Refer to Moomba Hub Schematic
	MSP Delivery	5,200
	MAPS Delivery	6,200
	Ballera Delivery	14,920
	Cheepie Delivery	The pressure existing in the SWQP
	Tarbat Delivery	14,920
	Roma Delivery	14,920

Wallumbilla Gladstone Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Kenya Delivery	5,500

	Bellevue Delivery	5,500
	Mt Larcom Interconnect Delivery	5,500
	Curtis Island Interconnect Delivery	5,500
	LNG Plant Delivery	5,500
Max Pressures	Kenya Delivery	9,870
	Bellevue Delivery	9,870
	Mt Larcom Interconnect Delivery	9,810
	Curtis Island Interconnect Delivery	10,310
	LNG Plant Delivery	10,200

Central Ranges Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Tamworth	1,750
Max Pressures	Tamworth	9,400

Central West Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Forbes	1,750
	Parkes	1,750
	Narromine	1,750
	West Dubbo	1,750
	Dubbo (CRP)	1,750
Max Pressures	Forbes	9,400
	Parkes	9,400
	Narromine	9,400
	West Dubbo	9,400
	Dubbo (CRP)	9,400

Moomba Sydney Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	MAPS Delivery	2,000
	Marsden	3,600
	Culcairn South Delivery	5,500
	Culcairn Trade Point	2,800
	Wagga Wagga	1,750
	Henty	1,750
	Uranquinty	1,750
	Uranquinty Power Station	2,800
	Holbrook	1,750
	Canberra	1,205
	Boorowa	1,750
	Yass	1,750
	Goulburn	1,750
	Marulan	1,750

	Sally's Corner	1,750
	Moss Vale	1,750
	Bowral	1,750
	Bargo	1,750
	Wilton STTM Delivery	1,750
	Wilton Trade Point	1,750
	Young	1,750
	Wallendbeen	1,750
	Cootamundra	1,750
	Burnt Creek	1,750
	Illabo	1,750
	Bomen	1,750
Max Pressures	MAPS Delivery	6,200
	Marsden	6,350
	Culcairn South Delivery	10,200
	Culcairn Trade Point	10,200
	Wagga Wagga	8,509
	Henty	10,200
	Uranquinty	8,509
	Uranquinty Power Station	10,200
	Holbrook	10,200
	Canberra	7,800
	Boorowa	6,200
	Yass	6,200
	Goulburn	6,200
	Marulan	6,200
	Sally's Corner	6,200
	Moss Vale	6,200
	Bowral	6,200
	Bargo	6,200
	Wilton STTM Delivery	6,200
	Wilton Trade Point	6,200
	Young	8,509
	Wallendbeen	8,509
	Cootamundra	8,509
	Burnt Creek	8,509
	Illabo	8,509
	Bomen	8,509

West Coast Grid

Pilbara pipeline system		
Delivery	Points	Value (kPa)
Min Pressures	MLV7 (DBP Receipt)	7,400
	Karratha Power Station	5,900
	Pinga Creek	3,500
	South Hedland	3,500
	Port Hedland Power Station	3,500
	HBI	3,500
	TGP Interconnect	3,500
Max Pressures	MLV7 (DBP Receipt)	8,480

	Karratha Power Station	8,480
	Pinga Creek	8,480
	South Hedland	8,480
	Port Hedland Power Station	8,480
	HBI	8,480
	TGP Interconnect	8,480

Telfer Gas Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Birla Nifty	2,300
	Telfer Gold Mine	5,100
Max Pressures	Birla Nifty	10,200
	Telfer Gold Mine	10,200

Northern Goldfields Interconnect Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Wildara Interconnect	9,000
Max Pressures	Wildara Interconnect	10,200

Goldfields Gas Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Paraburdoo Power Station	5,500
	Boonamichi Well	5,500
	Newman Power Station	3,000
	Yarnima Power Station	3,000
	Beyondie	5,500
	Savory Creek	5,500
	Plutonic	3,000
	Wiluna Gold	500
	Wiluna Jundee	5,500
	Camel Soak Power Station	5,500
	Mount Keith Power Station	4,150
	Cosmos	550
	Leinster	4,150
	Agnew	5,500
	Thunderbox	3,000
	Jaguar	835
	Tarmoola	5,948
	Kalgoorlie Town	4,650
Parkeston Power Station	4,650	
Max Pressures	Paraburdoo Power Station	10,200
	Boonamichi Well	10,200
	Newman Power Station	10,200
	Yarnima Power Station	10,200
	Beyondie	10,200
	Savory Creek	10,200
	Plutonic	10,200
	Wiluna Gold	950
	Wiluna Jundee	10,200

	Camel Soak Power Station	10,200
	Mount Keith Power Station	10,200
	Cosmos	1,000
	Leinster	10,200
	Agnew	10,200
	Thunderbox	10,200
	Jaguar	10,200
	Tarmoola	10,200
	Kalgoorlie Town	10,200
	Parkeston Power Station	10,200

Eastern Goldfields Pipeline System		
Delivery	Points	Value (kPa)
Min Pressures	Gwalia	300
	Leonora	3,00
	Murrin	3,200
	Granny Smith Goldmine	950
	Sunrise Dam	600
	Tropicana	600
	Mt Morgans	1,100
	Yamarna Power Station	1,100
Max Pressures	Gwalia	10,200
	Leonora	10,200
	Murrin	10,200
	Granny Smith Goldmine	10,200
	Sunrise Dam	10,200
	Tropicana	10,200
	Mt Morgans	10,200
	Yamarna Power Station	10,200

Parmelia Gas Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Mondarra Storage Facility	4,500
	ROC Oil	350
	Tiwest Chandala	700
	Rocla	700
	North Metro Interconnect (Caversham)	1,500
	Whiteman Brick	700
	Fero Industries	700
	Tip Top Canningvale	700
	South Metro Interconnect (RRI)	1,500
	Tronox Kwinana	700
	Hismelt Kwinana	2,000
	BP Oil Kwinana	400
	Alcoa Pinjarra	700
	Max Pressures	Mondarra Storage Facility
ROC Oil		6,300

	Tiwest Chandala	6,300
	Rocla	6,300
	North Metro Interconnect (Caversham)	5,610
	Whiteman Brick	5,610
	Fero Industries	5,610
	Tip Top Canningvale	5,610
	South Metro Interconnect (RRI)	5,610
	Tronox Kwinana	5,610
	Hismelt Kwinana	5,610
	BP Oil Kwinana	5,610
	Alcoa Pinjarra	5,610

Kalgoorlie Kambalda Pipeline		
Delivery	Points	Value (kPa)
Min Pressures	Kambalda	200
Max Pressures	Kambalda	10,200